




CONDUCTED IMMUNITY

Test Report #: 72159704 Test Area: GRP1
 EUT Model #: 34044-211G Date: 1 May 2020
 EUT Serial #: n/a EUT Power: 32Vdc Temperature: 23 °C
 Test Method: IEC 61000-4-6 per IEC 61000-6-2: 2016 Air Pressure: 98.5 kPa
 Customer: Data Panel Relative Humidity: 31 %
 EUT Description: DP Block I/O Module Page: 2 of 3

Notes: _____

Test Setup Photos

RS-232



Tested by: Greg Jakubowski
 Printed

Greg Jakubowski
 Signature

Reviewed by: Brad A Reasoner
 Printed

Brad A Reasoner
 Signature

Modulation Key					
#	Type	Freq.	Shape	Duty	Depth
1	AM	1 kHz	Sine	N/A	80%
2	PM	1 kHz	Square	50%	100%
3					
4					
5					



CONDUCTED IMMUNITY

Test Report #: 72159704 Test Area: GRP1

EUT Model #: 34044-211G Date: 1 May 2020

EUT Serial #: n/a EUT Power: 32Vdc Temperature: 23 °C


Test Method: IEC 61000-4-6 per IEC 61000-6-2: 2016 Air Pressure: 98.5 kPa

Customer: Data Panel Relative Humidity: 31 %


EUT Description: DP Block I/O Module Page: 3 of 3

Notes: _____

6 I/O DC lines



Tested by: Greg Jakubowski
Printed


Signature

Reviewed by: Brad A Reasoner
Printed


Signature

Modulation Key					
#	Type	Freq.	Shape	Duty	Depth
1	AM	1 kHz	Sine	N/A	80%
2	PM	1 kHz	Square	50%	100%
3					
4					
5					