

VOLTAGE DIPS & INTERRUPTIONS

Test Report #: 72159704 Test Area: GRP1
EUT Model #: 34044-211G Date: 7 May 2020
EUT Serial #: N/A EUT Power: 8 VDC Temperature: 22.2 °C
Test Method: EN 61131-2, Clause 5.1.1.3 Air Pressure: 98.0 kPa
Customer: Data Panel Relative Humidity: 17.8 %
EUT Description: DP Block I/O Module Page: 2 of 5
Notes: _____

Test Setup Photo



Tested by: Jasen Kwok
Printed


Signature


Reviewed by: Brad A Reasoner
Printed


Signature

VOLTAGE DIPS & INTERRUPTIONS

Test Report #: 72159704 Test Area: GRP1
 EUT Model #: 34044-211G Date: 7 May 2020
 EUT Serial #: N/A EUT Power: 8 VDC Temperature: 22.2 °C
 Test Method: EN 61131-2, Clause 5.1.1.3 Air Pressure: 98.0 kPa
 Customer: Data Panel Relative Humidity: 17.8 %
 EUT Description: DP Block I/O Module Page: 3 of 5
 Notes: _____

Open Circuit – 8V drop, 10ms



Tested by: Jasen Kwok
 Printed


 Signature

Reviewed by: Brad A Reasoner
 Printed


 Signature



VOLTAGE DIPS & INTERRUPTIONS

Test Report #: 72159704 Test Area: GRP1

EUT Model #: 34044-211G Date: 7 May 2020

EUT Serial #: N/A EUT Power: 8 VDC Temperature: 22.2 °C


Test Method: EN 61131-2, Clause 5.1.1.3 Air Pressure: 98.0 kPa

Customer: Data Panel Relative Humidity: 17.8 %

EUT Description: DP Block I/O Module Page: 4 of 5

Notes: _____

Open Circuit – 10 second RR



Tested by: Jasen Kwok
Printed

Jasen Kwok
Signature

Reviewed by: Brad A Reasoner
Printed


Brad A Reasoner
Signature



VOLTAGE DIPS & INTERRUPTIONS

Test Report #: 72159704 Test Area: GRP1
EUT Model #: 34044-211G Date: 7 May 2020
EUT Serial #: N/A EUT Power: 8 VDC Temperature: 22.2 °C
Test Method: EN 61131-2, Clause 5.1.1.3 Air Pressure: 98.0 kPa
Customer: Data Panel Relative Humidity: 17.8 %
EUT Description: DP Block I/O Module Page: 5 of 5
Notes: _____

EUT Load



Tested by: Jasen Kwok
Printed


Signature

Reviewed by: Brad A Reasoner
Printed


Signature